


SYSTEM MICRA I

FRAMELESS PARTITION | SINGLE PANE


A series of profiles designed for the **minimalist MICRA line** of 27 mm and an exceptionally high MICRA profile of 38 mm to **increase possible dimensional tolerances** on site.

The solution increases the acoustic and mechanical properties of the entire system.




CONNECTION AND FINISHING:


Connection
Double-sided 3M adhesive tape



TYPES OF SEALS:



DOOR DIMENSIONS:



TECHNICAL SPECIFICATIONS

AIR GAP SOUND INSULATION R_w :

Glass partition: 32, 35, 38, 39, 41 dB
according to the type of glazing used

Door leaf: All-glass | 32 dB
Wooden | 27, 32, 35, 37 dB
Aluminium | 27, 32, 37 dB
GlassDesign | 27, 32, 37 dB

STANDARD PARTITION DIMENSIONS:

Glass thickness: 8, 10, 12 and 16 mm

Module width: 1,000 mm

Partition height: 3,000 mm

Maximum partition height: 4,000 mm

STANDARD DOOR DIMENSIONS:

Clearance (passage): 800 × 2,100 mm

Door frame P09: 940 × 2,155 mm

Door leaf in P09: 827 × 2,091 mm

Door frame P10: 970 × 2,155 mm

Door leaf in P10: 866 × 2,095 mm

Door frame max. height: 3,000 mm

DOOR:

Door leaf types: Alu | GDD | All-Glass | Wooden

Frame types: Wooden | Aluminium

Standard hinges: Just 3D, Just 3D Glass, hidden Tectus

ANCHORING:

Concrete floor: dowel nail 6 × 35

Double/wooden floor: TN 3,5 × 35, FN 4,2 × 45

SDK lining: FN 4,2 × 45, turbo dowel

Concrete/masonry lining: dowel nail 6 × 35

SDK/cassette ceiling: TN 3,5 × 35, FN 4,2 × 45


Concrete/ceramic ceiling: dowel nail 6 × 35

“Maximum transparency
and a minimal frame.”




Orraine J. Williams | Head of R&D LIKO-S


DOOR LEAF TYPES




DOOR FRAME DETAILS




All-glass | door frame P09 | Tectus TEG 310 | up to 32 dB




Wooden | door frame P10 | Tectus TE 340 | up to 37 dB




All-glass | door frame P10 | Just 3D | up to 32 dB



Wooden | door frame P10 | Just 3D | up to 37 dB



GlassDesign | door frame P10 | Just 3D | up to 34 dB



Aluminium | door frame P10 | Just 3D | up to 37 dB



Headquarters:

LIKO-S, a.s.
U Splavu 1419
684 01 Slavkov u Brna
Czech Republic

+420 5 44 22 11 11 | info@liko-s.com
www.liko-s.com

www.liko-partitions.com

Become one of our fans and be part of the story...



FACEBOOK



YOUTUBE



LINKEDIN